

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
1	APISHAPA SILTY CLAY								
		APISHAPA	95	24-72	Frequent	Very limited	Very limited	Slow	High
10	CASTNER VERY CHANNERY LOAM, 20 TO 70 PERCENT SLOPES								
		CASTNER	95	> 72	None	Very limited	Very limited	Slow	Very high
100	FALCON FAMILY-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, EXTREMELY STONY								
		FALCON FAMILY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
101	FALCON-TRAG FAMILIES COMPLEX, 5 TO 40 PERCENT SLOPES, EXTREMELY STONY								
		FALCON FAMILY	45	> 72	None	Very limited	Very limited	Very slow	Very high
		TRAG FAMILY	40	> 72	None	Very limited	Very limited	Moderate	High
102	HECHTMAN-GUFFEY FAMILIES COMPLEX, 40 TO 60 PERCENT SLOPES, EXTREMELY BOULDERY								
		HECHTMAN FAMILY	55	> 72	None	Very limited	Very limited	Very slow	High
		GUFFEY FAMILY	30	> 72	None	Very limited	Very limited	Moderately slow	High
103	HECHTMAN FAMILY-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, EXTREMELY BOULDERY								
		HECHTMAN FAMILY	55	> 72	None	Very limited	Very limited	Very slow	High
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
104	ASHCROFT-LEADVILLE FAMILIES COMPLEX, DRY, 5 TO 40 PERCENT SLOPES, EXTREMELY STONY								
		ASHCROFT FAMILY	45	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		NEEDLETON FAMILY	40	> 72	None	Very limited	Very limited	Moderate	High
105	JODERO FAMILY, 0 TO 15 PERCENT SLOPES								
		JODERO FAMILY	85	> 72	None	Not limited	Very limited	Moderate	Medium
106	LEADVILLE FAMILY, 20 TO 45 PERCENT SLOPES, VERY STONY								
		LEADVILLE FAMILY	80	> 72	None	Very limited	Very limited	Slow	Very high
107	LEADVILLE-ASHCROFT FAMILIES COMPLEX, 5 TO 40 PERCENT SLOPES, VERY STONY								
		NEEDLETON FAMILY	60	> 72	None	Very limited	Very limited	Moderate	High
		ASHCROFT FAMILY	30	> 72	None	Very limited	Very limited	Moderately rapid	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
108	LEADVILLE-ROBERT FAMILIES-ROCK OUTCROP COMPLEX, 40 TO 80 PERCENT SOUTH SLOPES, RUBBLY								
		NEEDLETON FAMILY	40	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
		ROBERT FAMILY	25	> 72	None	Very limited	Very limited	Very slow	Very high
109	LEADVILLE-UINTA FAMILIES ASSOCIATION, 10 TO 40 PERCENT SLOPES								
		LEADVILLE FAMILY	80	> 72	None	Very limited	Very limited	Slow	Very high
		UINTA FAMILY	20	> 72	None	Very limited	Very limited	Slow	Very high
11	COLD CREEK COBBLY SANDY LOAM, 25 TO 80 PERCENT SLOPES								
		COLD CREEK	85	> 72	None	Very limited	Very limited	Slow	Medium
110	LEAL-LEIGH CAN FAMILIES ASSOCIATION, 15 TO 40 PERCENT SLOPES								
		LEAL FAMILY	70	> 72	None	Very limited	Very limited	Moderately slow	Very high
		LEIGH CAN FAMILY	20	> 72	Not Rated	Very limited	Very limited	Moderately slow	Very high
111	MERINO FAMILY-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, EXTREMELY BOULDERY								
		MERINO FAMILY	55	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
112	RING FAMILY, DRY, 5 TO 40 PERCENT SLOPES								
		RING FAMILY	85	> 72	None	Very limited	Very limited	Slow	Very high
113	RING FAMILY, DRY, 40 TO 60 PERCENT SLOPES, EXTREMELY STONY								
		RING FAMILY	85	> 72	None	Very limited	Very limited	Slow	Very high
114	SILAS FAMILY-CRYAQUOLLS ASSOCIATION, 0 TO 15 PERCENT SLOPES								
		SILAS FAMILY	60	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		CRYAQUOLLS	25	0-72	Occasional	Very limited	Very limited	Moderately slow	Medium
115	TEASPOON-TRAG FAMILIES COMPLEX, 5 TO 25 PERCENT SLOPES, EXTREMELY STONY								
		TEASPOON FAMILY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		TRAG FAMILY	30	> 72	None	Very limited	Very limited	Moderate	Medium
116	TEASPOON-TRAG FAMILIES COMPLEX, 25 TO 40 PERCENT SLOPES, EXTREMELY STONY								
		TEASPOON FAMILY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		TRAG FAMILY	30	> 72	None	Very limited	Very limited	Moderate	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
117	USTIC TORRIORTHENTS, 40 TO 60 PERCENT SLOPES, EXTREMELY STONY								
		ARIDIC USTORTHENTS	85	> 72	None	Very limited	Very limited	Moderately slow	Very high
12	COLLEGIATE LOAM, 1 TO 3 PERCENT SLOPES								
		COLLEGIATE	85	24-72	Rare	Very limited	Very limited	Moderate	Low
13	CROOKED CREEK SILTY CLAY LOAM								
		CROOKED CREEK	85	15-72	Occasional	Very limited	Very limited	Slow	High
14	CURECANTI VERY COBBLY LOAM, 2 TO 8 PERCENT SLOPES								
		CURECANTI	85	> 72	None	Very limited	Very limited	Moderate	Medium
15	DENVER CLAY LOAM, 4 TO 25 PERCENT SLOPES								
		DENVER	75	> 72	None	Very limited	Very limited	Slow	Very high
16	FARISITA VERY GRAVELLY SANDY LOAM, 10 TO 35 PERCENT SLOPES								
		FARISITA	85	> 72	None	Very limited	Very limited	Slow	High
17	FORT COLLINS LOAM, 1 TO 3 PERCENT SLOPES								
		FORT COLLINS	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
18	FORT COLLINS LOAM, 3 TO 9 PERCENT SLOPES								
		FORT COLLINS	85	> 72	None	Not limited	Somewhat limited	Moderately slow	High
19	FUGHES SANDY CLAY LOAM, 3 TO 15 PERCENT SLOPES								
		FUGHES	90	> 72	None	Very limited	Very limited	Slow	Very high
2	BACA LOAM, 1 TO 3 PERCENT SLOPES								
		BACA	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
20	GELKIE SANDY LOAM, 3 TO 15 PERCENT SLOPES								
		GELKIE	80	> 72	None	Somewhat limited	Very limited	Moderate	Medium
21	GELKIE SANDY LOAM, 15 TO 30 PERCENT SLOPES								
		GELKIE	80	> 72	None	Very limited	Very limited	Moderate	High
22	GLENBERG SANDY LOAM								
		GLENBERG	90	> 72	Rare	Very limited	Very limited	Moderately rapid	Very low
23	GOEMMER COBBLY CLAY LOAM, 20 TO 50 PERCENT SLOPES								
		GOEMMER	75	> 72	None	Very limited	Very limited	Slow	Very high
24	HAVERSON CLAY LOAM								
		HAVERSON	85	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
25	HOLDERNESS LOAM, 4 TO 20 PERCENT SLOPES								
		HOLDERNESS	85	> 72	None	Very limited	Very limited	Slow	Very high
26	KIM FINE SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		KIM	80	> 72	None	Not limited	Somewhat limited	Moderate	Medium
27	KIM-CASCAJO COMPLEX, 1 TO 12 PERCENT SLOPES								
		KIM	55	> 72	None	Not limited	Very limited	Moderate	Medium
		CASCAJO	35	> 72	None	Not limited	Very limited	Moderately rapid	Low
28	LAKEHELEN-ROCK OUTCROP COMPLEX, 15 TO 80 PERCENT SLOPES								
		LAKEHELEN	60	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
29	LARKSON STONY LOAM, 5 TO 20 PERCENT SLOPES								
		LARKSON	85	> 72	None	Very limited	Very limited	Slow	Very high
3	BADITO VERY COBBLY SANDY LOAM, 25 TO 60 PERCENT SLOPES								
		BADITO	75	> 72	None	Very limited	Very limited	Slow	High
30	LEADVILLE FINE SANDY LOAM, 25 TO 55 PERCENT SLOPES								
		LEADVILLE	75	> 72	None	Very limited	Very limited	Moderately slow	High
31	LIBEG GRAVELLY SANDY LOAM, 15 TO 45 PERCENT SLOPES								
		LIBEG	95	> 72	None	Very limited	Very limited	Moderate	High
32	LIBEG-COUTIS COMPLEX, 5 TO 15 PERCENT SLOPES								
		LIBEG	55	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		COUTIS	45	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
33	LIMON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES								
		LIMON	90	> 72	Occasional	Very limited	Very limited	Slow	High
34	LIMON CLAY, 3 TO 12 PERCENT SLOPES								
		LIMON	85	> 72	None	Very limited	Very limited	Slow	Very high
35	LOBERG COBBLY LOAM, 4 TO 25 PERCENT SLOPES								
		LOBERG	85	> 72	None	Very limited	Very limited	Slow	Very high
36	LOUVIERS-TRAVESSILLA COMPLEX, 3 TO 25 PERCENT SLOPES								
		LOUVIERS	45	> 72	None	Very limited	Very limited	Slow	Very high
		TRAVESSILLA	35	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
37	LOUVIERS-TRAVESSILLA-ROCK OUTCROP COMPLEX, 25 TO 85 PERCENT								
		LOUVIERS	40	> 72	None	Very limited	Very limited	Slow	Very high
		TRAVESSILLA	35	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
38	LYMANSON COBBLY FINE SANDY LOAM, 20 TO 40 PERCENT SLOPES								
		LYMANSON	90	> 72	None	Very limited	Very limited	Slow	High
39	MAITLAND FINE SANDY LOAM, 1 TO 15 PERCENT SLOPES								
		MAITLAND	75	> 72	None	Not limited	Very limited	Moderate	Medium
4	BAYERTON-MAITLAND COMPLEX, 25 TO 50 PERCENT SLOPES								
		BAYERTON	50	> 72	None	Very limited	Very limited	Slow	High
		MAITLAND	30	> 72	None	Very limited	Very limited	Moderate	High
40	MANVEL SILTY CLAY LOAM, 1 TO 5 PERCENT SLOPES								
		MANVEL	80	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
41	MANVEL SILTY CLAY LOAM SALINE, 1 TO 5 PERCENT SLOPES								
		MANVEL	75	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
42	MANVEL-MINNEQUA LOAMS, 1 TO 5 PERCENT SLOPES								
		MANVEL	70	> 72	None	Not limited	Not limited	Moderately slow	Medium
		MINNEQUA	25	> 72	None	Somewhat limited	Very limited	Moderate	Low
43	MANZANO LOAM								
		MANZANO	85	> 72	Rare	Very limited	Very limited	Moderate	Low
44	MANZANOLA CLAY LOAM, 0 TO 2 PERCENT SLOPES								
		MANZANOLA	90	> 72	None	Somewhat limited	Not limited	Slow	High
45	MANZANOLA CLAY LOAM, 2 TO 5 PERCENT SLOPES								
		MANZANOLA	90	> 72	None	Somewhat limited	Somewhat limited	Slow	High
46	MIDWAY CLAY, 3 TO 20 PERCENT SLOPES								
		MIDWAY	90	> 72	None	Very limited	Very limited	Slow	Very high
47	MINNEQUA-OTERO SANDY LOAMS, 2 TO 12 PERCENT SLOPES								
		MINNEQUA	50	> 72	None	Somewhat limited	Very limited	Moderate	Low
		OTERO	40	> 72	None	Not limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
48	MONTEZ-ROBERT COMPLEX, 15 TO 65 PERCENT SLOPES								
		MONTEZ	55	> 72	None	Very limited	Very limited	Slow	Medium
		ROBERT	30	> 72	None	Very limited	Very limited	Slow	Very high
49	MOROP LOAM, 2 TO 18 PERCENT SLOPES								
		MOROP	95	> 72	None	Very limited	Very limited	Slow	Very high
5	BENTEEN-ROCK OUTCROP COMPLEX, 3 TO 18 PERCENT SLOPES								
		BENTEEN	80	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	10	> 72	None	Very limited	Very limited	Very slow	Very high
50	NEVILLE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		NEVILLE	90	> 72	None	Not limited	Somewhat limited	Moderate	Low
51	NEVILLE FINE SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		NEVILLE	80	> 72	None	Not limited	Somewhat limited	Moderate	Medium
52	NODEN SANDY LOAM, 1 TO 8 PERCENT SLOPES								
		NODEN	95	> 72	None	Not limited	Very limited	Moderate	Medium
53	NODEN SANDY LOAM, 8 TO 15 PERCENT SLOPES								
		NODEN	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
54	NODEN LOAM, 1 TO 9 PERCENT SLOPES								
		NODEN	85	> 72	None	Not limited	Very limited	Moderate	Medium
55	NODEN-BOND SANDY LOAMS, 2 TO 18 PERCENT SLOPES								
		NODEN	50	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		BOND	30	> 72	None	Very limited	Very limited	Slow	Very high
56	NODEN-BOND LOAMS, 1 TO 9 PERCENT SLOPES								
		NODEN	45	> 72	None	Not limited	Very limited	Moderate	Medium
		BOND	40	> 72	None	Very limited	Very limited	Slow	Very high
57	NUNN LOAM, 0 TO 3 PERCENT SLOPES								
		NUNN	90	> 72	None	Not limited	Very limited	Slow	High
58	NUNN STONY LOAM, 2 TO 5 PERCENT SLOPES								
		NUNN	90	> 72	None	Somewhat limited	Somewhat limited	Slow	High
59	NUNN CLAY LOAM, 3 TO 9 PERCENT SLOPES								
		NUNN	90	> 72	None	Not limited	Somewhat limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
6	BOND-ROCK OUTCROP COMPLEX, 15 TO 45 PERCENT SLOPES								
		BOND	60	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
60	OLNEY SANDY LOAM, 3 TO 12 PERCENT SLOPES								
		OLNEY	85	> 72	None	Not limited	Very limited	Moderate	Medium
61	OLNEY-PROGRESSO SANDY LOAMS, 3 TO 15 PERCENT SLOPES								
		OLNEY	45	> 72	None	Not limited	Very limited	Moderate	Medium
		PROGRESSO	35	> 72	None	Very limited	Very limited	Slow	High
62	OTERO SANDY LOAM, 1 TO 9 PERCENT SLOPES								
		OTERO	75	> 72	None	Not limited	Very limited	Moderately rapid	Low
63	OTERO FINE SANDY LOAM, 1 TO 9 PERCENT SLOPES								
		OTERO	75	> 72	None	Not limited	Very limited	Moderately rapid	Low
64	PATENT LOAM, 2 TO 8 PERCENT SLOPES								
		PATENT	95	> 72	None	Not limited	Somewhat limited	Moderate	Medium
65	PENROSE-MINNEQUA COMPLEX, 2 TO 15 PERCENT SLOPES								
		PENROSE	50	> 72	None	Very limited	Very limited	Slow	Very high
		MINNEQUA	35	> 72	None	Somewhat limited	Very limited	Moderate	Medium
66	PENROSE-ROCK OUTCROP COMPLEX, 4 TO 25 PERCENT SLOPES								
		PENROSE	50	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
67	POTTS SANDY LOAM, 1 TO 8 PERCENT SLOPES								
		POTTS	90	> 72	None	Not limited	Very limited	Moderate	Medium
68	RAZOR CLAY LOAM, 1 TO 12 PERCENT SLOPES								
		RAZOR	75	> 72	None	Very limited	Very limited	Slow	Very high
69	RAZOR SILTY CLAY, 2 TO 20 PERCENT SLOPES								
		RAZOR	75	> 72	None	Very limited	Very limited	Slow	Very high
7	BREECE SANDY LOAM, 2 TO 18 PERCENT SLOPES								
		BREECE	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
70	RING COBBLY SANDY LOAM, 2 TO 6 PERCENT SLOPES								
		RING	90	> 72	None	Somewhat limited	Somewhat limited	Slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
71	RING COBBLY LOAM, 20 TO 45 PERCENT SLOPES								
		RING	85	> 72	None	Very limited	Very limited	Slow	Very high
72	RIVERWASH-LAS ANIMAS COMPLEX								
		RIVERWASH	65	12-72	Frequent	Very limited	Very limited	Rapid	Negligible
		LAS ANIMAS	30	9-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
73	ROCK OUTCROP								
		ROCK OUTCROP	95	> 72	Not Rated	Very limited	Very limited	Very slow	Very high
74	ROBERT-WOODHALL COMPLEX, 25 TO 65 PERCENT SLOPES								
		ROBERT	50	> 72	None	Very limited	Very limited	Slow	Very high
		WOODHALL	40	> 72	None	Very limited	Very limited	Slow	High
75	RUBBLE LAND-ROCK OUTCROP COMPLEX								
		RUBBLE LAND	50	> 72	None	Very limited	Very limited	Very rapid	Low
		ROCK OUTCROP	45	> 72	None	Very limited	Very limited	Very slow	Very high
76	SCHAMBER GRAVELLY SANDY LOAM, 3 TO 15 PERCENT SLOPES								
		SCHAMBER	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
77	SCHAMBER-MIDWAY COMPLEX, 3 TO 25 PERCENT SLOPES								
		SCHAMBER	65	> 72	None	Not limited	Very limited	Moderately rapid	Low
		MIDWAY	20	> 72	None	Very limited	Very limited	Slow	Very high
78	TISWORTH SANDY LOAM, 2 TO 8 PERCENT SLOPES								
		TISWORTH	80	> 72	None	Not limited	Somewhat limited	Slow	Very high
79	TOLMAN-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES								
		TOLMAN	60	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
8	BROWNSTO VERY GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES								
		BROWNSTO	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
80	TRAG LOAM, 3 TO 12 PERCENT SLOPES								
		TRAG	95	> 72	None	Not limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
81	TRAVESSILLA-KIM COMPLEX, 1 TO 9 PERCENT SLOPES								
		TRAVESSILLA	70	> 72	None	Very limited	Very limited	Slow	Very high
		KIM	20	> 72	None	Not limited	Somewhat limited	Moderate	Low
82	TRAVESSILLA-ROCK OUTCROP COMPLEX, 15 TO 45 PERCENT SLOPES								
		TRAVESSILLA	50	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
83	UINTA-LAKEHELEN FINE SANDY LOAMS, 4 TO 25 PERCENT SLOPES								
		UINTA	50	> 72	None	Very limited	Very limited	Moderate	Medium
		LAKEHELEN	40	> 72	None	Very limited	Very limited	Slow	High
84	USTIC TORRIORTHENTS-ROCK OUTCROP COMPLEX, 5 TO 40 PERCENT SLOPES								
		USTIC TORRIORTHENTS	55	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	15	> 72	None	Very limited	Very limited	Very slow	Very high
85	UTICA GRAVELLY SANDY LOAM, 2 TO 10 PERCENT SLOPES								
		UTICA	80	> 72	None	Not limited	Very limited	Moderately rapid	Low
86	VONA FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		VONA	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
87	WAHATOYA-ROCK OUTCROP COMPLEX, 35 TO 65 PERCENT SLOPES								
		WAHATOYA	65	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	15	> 72	None	Very limited	Very limited	Very slow	Very high
88	WELRING VERY CHANNERY LOAM, 4 TO 25 PERCENT SLOPES								
		WELRING	65	> 72	None	Very limited	Very limited	Slow	Very high
89	WETMORE-MORTENSON ASSOCIATION, 20 TO 50 PERCENT SLOPES								
		WETMORE	50	> 72	None	Very limited	Very limited	Slow	Very high
		MORTENSON	40	> 72	None	Very limited	Very limited	Slow	High
9	BROWNSTO VERY CHANNERY LOAM, 15 TO 75 PERCENT SLOPES								
		BROWNSTO	95	> 72	None	Very limited	Very limited	Moderate	High
90	WILEY LOAM, 1 TO 3 PERCENT SLOPES								
		WILEY	90	> 72	None	Not limited	Somewhat limited	Moderate	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
91	WILEY-KIM LOAMS, 2 TO 9 PERCENT SLOPES								
		WILEY	55	> 72	None	Not limited	Somewhat limited	Moderate	Low
		KIM	40	> 72	None	Not limited	Very limited	Moderate	Medium
92	WILLOWMAN GRAVELLY SANDY LOAM, 3 TO 8 PERCENT SLOPES								
		WILLOWMAN	90	> 72	None	Not limited	Very limited	Moderate	Medium
93	WILLOWMAN GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES								
		WILLOWMAN	80	> 72	None	Very limited	Very limited	Moderate	High
94	WOODHALL-ROCK OUTCROP COMPLEX, 5 TO 20 PERCENT SLOPES								
		WOODHALL	65	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
95	BADITO FAMILY, 5 TO 25 PERCENT SLOPES, STONY								
		BADITO FAMILY	85	> 72	None	Very limited	Very limited	Moderately slow	High
96	BOYLE-JODERO FAMILIES ASSOCIATION, 0 TO 15 PERCENT SLOPES, STONY								
		BOYLE FAMILY	65	> 72	None	Very limited	Very limited	Moderate	Medium
		JODERO FAMILY	25	> 72	None	Not limited	Very limited	Moderate	Medium
97	BROWNSTO FAMILY-USTIC TORRIORTHENTS COMPLEX, 5 TO 40 PERCENT SLOPES, EXTREMELY STONY								
		BARKELEW FAMILY	65	> 72	None	Very limited	Very limited	Moderate	High
		ARIDIC USTORTHENTS	25	> 72	None	Very limited	Very limited	Moderately slow	Very high
98	CATHEDRAL FAMILY-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, RUBBLY								
		CATHEDRAL FAMILY	60	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
99	CATHEDRAL FAMILY, MOIST-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, RUBBLY								
		CATHEDRAL FAMILY	60	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high